

MATERIAL SAFETY DATA SHEET

INDY SCOURDET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name INDY Scourdet

Description INDY Scourdet is a hard surface cream cleaner that contains

ammonia.

Validation Date June 2006

Manufacturer INDY OIL S.A. Pty Ltd

4-6 Platinum Road Montague Gardens

Cape Town South Africa

7435

In Case of Emergency

Tel. +27 (21) 552 2330

T Pothecary +27 83 310 9999

2. COMPOSITION

INDY Scourdet is a water-based product and contains ammonia.

3. HAZARDS IDENTIFICATION

Human Health Hazards Midly toxic by ingestion. May cause vomiting.

Safety Hazards None. Environmental Hazards None.

CAPE TOWN
HEAD OFFICE

<u>JOHANNESBURG</u> <u>DURBAN</u>

Tel: 021 552 2330 Tel: 011 397 5545 Tel: 032 944 1923 Fax: 021 552 2879 Fax: 011 397 5877 Fax: 032 944 4449

MATERIAL SAFETY DATA SHEET - PAGE 2

4. FIRST AID MEASURES

Splashes into the eyes may cause irritation.

Inhalation Remove to fresh air.

Ingestion Do not induce vomiting. Drink copious quantities of milk/water.

Obtain medical attention immediately.

Skin Contact Wash skin with soap and water. Remove contaminated clothing.

If irritation persists, obtain medical attention.

Eye Contact Flush eyes with clean water. Get medical attention if irritation

develops.

5. FIRE -FIGHTING MEASURES

The product is non-flammable.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Do not breathe vapour or mists. Avoid contact with eyes.

Environmental precautions

Large spillages should be prevented from entering into drains,

ditches or rivers. Use appropriate containment to avoid environmental contamination. Inform local authorities if this cannot be prevented. Use sand, earth or other absorbing

material to contain spills.

Clean-up methods Liquid can be contained by making a barrier

with sand, earth or other containment material.

Reclaim liquid directly, or in an absorbent. Small spills can be

washed away with water.

7. HANDLING AND STORAGE

Keep container closed. Store in cool place. Prevent spillages and accidental eye contact. Use in well ventilated area.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Occupational Exposure The control measures appropriate for a particular worksite

depends on how this material is used and the extent of exposure. The best protection is to use the product in well-

ventilated areas.

Personal Protection If engineering controls and work practices are not effective in

controlling this material, then wear suitable personal protection equipment, including safety goggles or face shield, boots, impervious gloves, overalls and breathing apparatus.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance Creamy white liquid at ambient temperature.

Density at 20°C 1.02 kg/lt
Colour Creamy white
Odour Ammonia
pH 10-11

CAPE TOWN
HEAD OFFICE

HEAD OFFICE JOHANNESBURG DURBAN

Tel: 021 552 2330 Tel: 011 392 3111 Tel: 032 944 1923 Fax: 021 552 2879 Fax: 011 392 3199 Fax: 032 944 4449

MATERIAL SAFETY DATA SHEET - PAGE 3

10. STABILITY AND REACTIVITY

Stability The product is stable

Materials to avoid
Conditions to avoid
Hazardous Decomposition Products
None
None known

11. TOXICOLOGICAL INFORMATION

The product is not regarded as toxic.

Acute effects Ingestion can lead to vomiting.

Carcinogenicity Not carcinogenic.

Mutagenicity Components are not known to be associated with mutagenetic

effects.

12. ECOLOGICAL INFORMATION

The product is not regarded eco-toxicological. It may affect aquatic life if spilled in contaminated in large quantities.

13. DISPOSAL CONSIDERATIONS

No special requirements. Small quantities can be washed away with water.

14. TRANSPORTATION INFORMATION

No restrictions in accordance with Hazchem regulations.

15. REGULATORY INFORMATION

None of the components are classified in terms of RSA regulation. Ammonia is used in diluted form at low concentration.

16. OTHER INFORMATION

Validated by INDY OIL SA (Pty) Ltd on 22/06/2006

Version 1

This document does not replace any previous validations.

<u>CAPE TOWN</u>
<u>HEAD OFFICE</u>

<u>JOHANNESBURG</u>

<u>DURBAN</u>

Tel: 021 552 2330 Tel: 011 392 3111 Tel: 032 944 1923 Fax: 021 552 2879 Fax: 011 392 3199 Fax: 032 944 4449