



INDY GPC

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	INDY GPC
Description	INDY GPC is a general purpose cleaner.
Validation Date	June 2006

Manufacturer	INDY OIL S.A. Pty Ltd 4-6 Platinum Road Montague Gardens Cape Town South Africa 7435
--------------	---

In Case of Emergency	Tel. +27 (21) 552 2330
	T Potheary +27 83 310 9999

2. COMPOSITION

INDY GPC contains no reportable quantities of toxic chemicals.	
Ethylenediaminetetraaceticacid	<1%
Ethylene glycol monobutyl ether	3-6%
Propyl alcohol	1-2%
SLES 25	<15%

3. HAZARDS IDENTIFICATION

Human Health Hazards	Direct contact with the eyes may cause irritation. Prolonged contact to the skin may cause irritation.
Safety Hazards	Normal products of combustion.
Environmental Hazards	None known. The product will not polymerise.

4. FIRST AID MEASURES

CAPE TOWN
HEAD OFFICE

JOHANNESBURG

DURBAN

Tel: 021 552 2330
Fax: 021 552 2879

Tel: 011 392 3111
Fax: 011 392 3199

Tel: 032 944 1923
Fax: 032 944 4449

MATERIAL SAFETY DATA SHEET – PAGE 2

Splashes into the eyes may cause irritation. If ingested it can lead to irritation of mouth, throat and digestive tract and can cause vomiting.

Inhalation

Remove to fresh air.

Ingestion

Drink copious quantities of water. Obtain medical attention.

Skin Contact

Wash skin with soap and water. If irritation persists, obtain medical attention.

Eye Contact

Flush eyes with clean water. Get medical attention if irritation develops.

5. FIRE -FIGHTING MEASURES

The product is not regarded flammable.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions

Prevent large quantities of concentrate from entering into drains, ditches or rivers. Use appropriate containment to avoid environmental contamination. Inform local authorities if this cannot be prevented. Use sand, earth or other absorbing material to contain spills.

Clean-up methods

Contain spill and use mop, absorbent or wet vacuum to collect material for disposal. Rinse spill area with water. Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Keep container closed. Store in cool place. Prevent spillages. Prevent accidental eye contact.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Occupational Exposure

The control measures appropriate for a particular worksite depends on how this material is used and the extent of exposure. The best protection is to use the product in well-ventilated areas.

Personal Protection

If engineering controls and work practices are not effective in controlling this material, then wear suitable personal protection equipment, including safety goggles or face shield, boots, impervious gloves, overalls and breathing apparatus.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance Blue liquid

Density at 20°C

ca. 1,00 kg/l

Evaporation rate

<1

Solubility in water

Complete

CAPE TOWN
HEAD OFFICE

JOHANNESBURG

DURBAN

Tel: 021 552 2330
Fax: 021 552 2879

Tel: 011 392 3111
Fax: 011 392 3199

Tel: 032 944 1923
Fax: 032 944 4449

10. STABILITY AND REACTIVITY

Stability	The product is stable
Materials to avoid	Strong acids
Conditions to avoid	None known
Hazardous Decomposition Products	None known

11. TOXICOLOGICAL INFORMATION

The product is not known to be toxic and contains no carcinogens.

12. ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of similar products. The product has the potential to bioaccumulate. May cause physical fouling of aquatic organisms. It is not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

Used or waste product should be disposed of in accordance with prevailing regulations. The competence of the contractor to deal with the product should be established beforehand. Do not pollute soil, water or the environment with waste product.

14. TRANSPORTATION INFORMATION

Bulk product to be transport in accordance with Hazchem regulations.

15. REGULATORY INFORMATION

None of the components are classified in terms of RSA regulation

16. OTHER INFORMATION

Validated by INDY OIL SA (Pty) Ltd on 21/02/2007
Version 1
This document does not replace any previous validations.

CAPE TOWN **HEAD OFFICE**

Tel: 021 552 2330
Fax: 021 552 2879

JOHANNESBURG

Tel: 011 392 3111
Fax: 011 392 3199

DURBAN

Tel: 032 944 1923
Fax: 032 944 4449