

INDY SYNCUT 600 Neat Cutting Oil

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name INDY Syncut 600

Description INDY Syncut 600 is a neat cutting oil.

Validation Date November 2011

Manufacturer INDY OIL S.A. Pty Ltd

4-6 Platinum Road Montague Gardens

Cape Town South Africa

7435

In Case of Emergency Tel. +27 (21) 552 2330

2. COMPOSITION

INDY Syncut 600 is a pale coloured neat oil containing an ester and low level chlorine. Risk phrases R38 and R38 apply.

3. HAZARDS IDENTIFICATION

Primary hazards and critical effects
No specific hazards under normal conditions

Health risk None known

Flammability Not classified as flammable but will burn

Reactivity Not applicable

Other information Not classified as dangerous

CAPE TOWN
HEAD OFFICE

<u>JOHANNESBURG</u> <u>DURBAN</u>

 Tel: 021 552 2330
 Tel: 011 392 3111
 Tel: 032 944 1923

 Fax: 021 552 2879
 Fax: 011 392 3199
 Fax: 032 944 4449

4. FIRST AID MEASURES

Inhalation In the event of dizziness or nausea, remove patient to fresh air.

If symptoms persist, obtain medical attention

Drink copious quantities of water. Do not induce vomiting. Ingestion Remove contaminated clothing and wash affected skin with Skin Contact soap and water. If irritation persists, obtain medical attention. Eye Contact

Flush eyes with clean water for at least 15 minutes. Get medical

attention if irritation develops.

5. FIRE -FIGHTING MEASURES

Foam and dry chemical powder. Carbon dioxide, sand or earth may be used on small fires. Never use a water jet. Use of Halon extinguishers should be avoided for environmental reasons. Breathing apparatus must be worn when approaching fire in a confined space.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Avoid contact with skin and eyes. Wear impermeable gloves and boots. **Environmental precautions** Prevent from spreading or entering into drains, ditches or rivers. Inform

local authorities if this cannot be prevented.

Clean-up methods Liquid can be contained by making a barrier with sand, earth or other

containment material.

Reclaim liquid directly or in an absorbent. Dispose of in accordance with

local regulations.

7. HANDLING AND STORAGE

Keep container closed. Store in cool place. Prevent spillages. Use safety glasses when handling to prevent accidental eye contact.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Occupational Exposure The control measures appropriate for a particular worksite depends on

how this material is used and the extent of exposure. The best protection

is to use the product in well-ventilated areas.

Personal Protection If engineering controls and work practices are not effective in controlling

> this material, then wear suitable personal protection equipment, including safety goggles or face shield, boots, impervious gloves,

overalls and breathing apparatus.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance Pale liquid at ambient temperature

Density at 20°C 0.86 kg/l Flash Point >170°C Viscosity at 40°C 21 cSt

CAPE TOWN HEAD OFFICE JOHANNESBURG DURBAN

Tel: 021 552 2330 Tel: 032 944 1923 Tel: 011 392 3111 Fax: 021 552 2879 Fax: 011 392 3199 Fax: 032 944 4449

10. STABILITY AND REACTIVITY

Stability The product is stable
Materials to avoid Strong oxidising agents
Conditions to avoid Extremes of temperatures

11. TOXICOLOGICAL INFORMATION

Toxicological data have not been determined specifically for these products. Information given is based on a knowledge of components of similar products.

Routes of entry

Target organs

None known

None known

Acute effects Apart from irritation when in contact with eyes, no other known

effects.

Chronic effects The product is not known to be carcinogenic.

12. ECOLOGICAL INFORMATION

Eco toxicological data have not been determined specifically for this product. Information given is based on knowledge of similar products. The product has the potential to bio accumulate. The product is not chronically toxic but may cause physical fouling of aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Used or waste oil should be disposed of in accordance with prevailing regulations. The competence of the contractor to deal with the product should be established beforehand.

14. TRANSPORTATION INFORMATION

Not dangerous for conveyance.

15. REGULATORY INFORMATION

None of the components is classified in terms of RSA regulation

16. OTHER INFORMATION

Validated by INDY OIL SA (Pty) Ltd on 7/11/2011 Version 2

This document replaces previous validations.

<u>CAPE TOWN</u>
<u>HEAD OFFICE</u>

<u>JOHANNESBURG</u>

<u>DURBAN</u>

 Tel: 021 552 2330
 Tel: 011 392 3111
 Tel: 032 944 1923

 Fax: 021 552 2879
 Fax: 011 392 3199
 Fax: 032 944 4449