



# MATERIAL SAFETY DATA SHEET

## INDY GLIDEWAY OIL D68

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name	INDY Glideway Oil D68
Description	INDY Glideway Oil D68 is a high performance demulsifying slideway oil.
Validation Date	June 2006

Manufacturer	INDY OIL S.A. Pty Ltd 4-6 Platinum Road Montague Gardens Cape Town South Africa 7435
--------------	---

In Case of Emergency	Tel. +27 (21) 552 2330  T Potheary +27 83 310 9999
----------------------	--

### 2. COMPOSITION

INDY Glideway Oil D68 consists of a blend of refined mineral base oils and performance additives.

### 3. HAZARDS IDENTIFICATION

Primary hazards and critical effects: No specific hazards under normal conditions. Prolonged exposure may give rise to dermatitis.	
Health risk	None known
Flammability	Not classified as flammable but will burn
Reactivity	Not applicable
Other information	Not classified as dangerous

#### CAPE TOWN HEAD OFFICE

Tel: 021 552 2330  
Fax: 021 552 2879

#### JOHANNESBURG

Tel: 011 392 3111  
Fax: 011 392 3199

#### DURBAN

Tel: 032 944 1923  
Fax: 032 944 4449

## 4. FIRST AID MEASURES

Inhalation	In the event of dizziness or nausea, remove casualty to fresh air. If symptoms persist, obtain medical attention
Ingestion	Drink copious quantities of water. Do not induce vomiting.
Skin Contact	Remove contaminated clothing and wash affected skin with soap and water. If irritation persists, obtain medical attention.
Eye Contact	Flush eyes with clean water for at least 15 minutes. Get medical attention if irritation develops.

## 5. FIRE -FIGHTING MEASURES

Combustion is likely to give rise to a complex mixture of airborne solids and gases, including carbon monoxide, and unidentified organic and inorganic compounds.

Foam and dry chemical powder. Carbon dioxide, sand or earth may be used on small fires. Never use a water jet. Use of Halon extinguishers should be avoided for environmental reasons. Breathing apparatus must be worn when approaching fire in a confined space.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid contact with skin and eyes. Wear impermeable gloves and boots.
Environmental precautions	Prevent from spreading or entering into drains, ditches or rivers. Inform local authorities if this cannot be prevented.
Clean-up methods	Liquid can be contained by making a barrier with sand, earth or other containment material. Reclaim liquid directly, or in an absorbent. Dispose of in accordance with local regulations.

## 7. HANDLING AND STORAGE

Keep container closed. Store in cool place. Prevent spillages.  
Use safety goggles when handling to prevent accidental eye contact.

## 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Occupational Exposure	The control measures appropriate for a particular worksite depends on how this material is used and the extent of exposure. The best protection is to use the product in well-ventilated areas.
Personal Protection	If engineering controls and work practices are not effective in controlling this material, then wear suitable personal protection equipment, including safety goggles or face shield, boots, impervious gloves, overalls and breathing apparatus.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance	Clear amber liquid at ambient temperature
Density at 20°C	0.878 kg/l
Flash Point	210°C
Viscosity at 40C	68 cSt

**CAPE TOWN**  
**HEAD OFFICE**

**JOHANNESBURG**

**DURBAN**

Tel: 021 552 2330  
Fax: 021 552 2879

Tel: 011 392 3111  
Fax: 011 392 3199

Tel: 032 944 1923  
Fax: 032 944 4449

## 10. STABILITY AND REACTIVITY

Stability  
Materials to avoid  
Conditions to avoid

The product is stable  
Strong oxidising agents  
Extremes of temperatures

## 11. TOXICOLOGICAL INFORMATION

Toxicological data have not been determined specifically for this product. Information given is based on knowledge of components of similar products.

Acute effects Apart from irritation when in contact with eyes, no other known effects.

Chronic effects The product is not known to be carcinogenic.

## 12. ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. Information given is based on knowledge of similar products. The product has the potential to bioaccumulate. The product is not chronically toxic but may cause physical fouling of aquatic organisms. It is not readily biodegradable.

## 13. DISPOSAL CONSIDERATIONS

Used or waste oil should be disposed of in accordance with prevailing regulations. The competence of the contractor to deal with the product should be established beforehand. Do not pollute soil, water or the environment with waste product.

## 14. TRANSPORTATION INFORMATION

Not dangerous for conveyance.

## 15. REGULATORY INFORMATION

None of the components are classified in terms of RSA regulation

## 16. OTHER INFORMATION

Validated by INDY OIL SA (Pty) Ltd on 23/06/2006  
Version 2  
This document replaces version 1 dated 12/04/2005

**CAPE TOWN**  
**HEAD OFFICE**

**JOHANNESBURG**

**DURBAN**

Tel: 021 552 2330  
Fax: 021 552 2879

Tel: 011 392 3111  
Fax: 011 392 3199

Tel: 032 944 1923  
Fax: 032 944 4449